

SAFETY DATA SHEET

1. Identification

Product name Use Supplier	CHEF 59 SANITIZER & DEODORIZER GENERAL CLEANER Dissan Group 9900 Boulevard du Golf Anjou, Quebec H1J 3A1	Code	INO-ww59
Emergency pho	ne number: CANUTEC (613) 996-6666		

2. Hazard identification

Product classification	Serious eye damage / Eye irritation - Category 1
Signal word	Skin corrosion / irritation - Category 1
Hazard statement	DANGER
Pictogram	H314 - Causes severe skin burns and eye damage.
Precautionary statement	 P260 - Do not breathe dust / fumes / gas / mist / vapours / spray. P264 - Wash hands and face thoroughly after handling. P280 - Wear protective gloves / protective clothing / eye protection / face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P363 - Wash contaminated clothing before reuse. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P310 - Immediately call a POISON CENTER or a doctor. P405 - Store locked up. P501 - Dispose of contents / container according to all applicable regulations.

3. Composition / Information on ingredients

Ingredient name	Cas number	% (w/w)
Sodium carbonate	497-19-8	1 - 5
Ethylenediaminetetraacetic acid tetrasodium salt anhydrous	64-02-8	1 - 5
Alcohols (C12-15 linear saturated) ethoxylate	68131-39-5	3 - 7
Alkyl(C12-C16) dimethylbenzylammonium chloride	68424-85-1	1 - 5
1-Decaminium N-octyl-N,N-dimethyl-, chloride	32426-11-2	1 - 5
Exact percentages are being withheld as trade secret information	on	

4. First-aid measures

Eyes contact

Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 30 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact	In case of contact, immediately flush skin with plenty of water for at least 20 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately.
Inhalation	In case of inhalation of vapors or mists, bring the person to an airborne place. Immediately transfer to the closest emergency medical service if breathing is difficult. Symptoms of pulmonary edema may appear after a delay of several hours and are aggravated by physical effort. Rest and medical supervision are therefore essential.
Ingestion	In case of ingestion, rinse mouth. drink a glass of water. Do not induce vomiting and see a doctor. Never administer anything orally to someone unconscious or in a convulsive state.
Most important symptoms and effects	See section 11.
Indication of immediate medical attention and special treatment needed	No further information available.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	To fight a fire, use extinguishing media appropriate for surrounding materials. It is not specified whether or not there is an inappropriate method of extinguishing this product.
Specific hazards arising from the chemical	No further relevant information available.
Special protective equipment and precautions for firefighters	Wear self-contained breathing apparatus, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective	Wear protective equipment listed in section 8. Keep unnecessary personnel and unprotected
equipment and emergency procedures	persons away.
Methods and materials for	Isolate area. Keep unnecessary personnel away. Ensure adequate ventilation. Stop the flow
containment and cleaning up.	of material, if this is without risk. Absorb with inert material such as vermiculite, sand or
	soil. Put in adequate container. Wash contaminated area.

7. Handling and storage

Precautions for safe handling	Put on appropriate personal protective equipment (see section 8). Use in a way to prevent splashing. Eating, drinking and smoking should be prohibited in areas where this material is handled or stored. Workers should wash hands and face before eating, drinking and smoking. Keep in the original container or an approved alternative, kept tightly closed when not in use. Do not reuse empty container.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls / Personal protection

Occupational exposure limits (by ingredients)

Ingredient name	TWAEV	STEV
Sodium carbonate	-	-
Ethylenediaminetetraacetic acid	-	-
tetrasodium salt anhydrous		
Alcohols (C12-15 linear saturated)	-	-
ethoxylate		
Alkyl(C12-C16)	-	-
dimethylbenzylammonium chloride		
1-Decaminium N-octyl-N,N-dimethyl-,	-	-
chloride		

Source of data : RSST

P = ceiling value that should note be exceeded for any amount of time.

Appropriate engineering controls	Use only with ventilation adequate to keep air concentration below STEV if use generates vapor or mists. If STEV is exceeded, wear NIOSH approved respirator.
Individual protection measures	
Eyes & face	Wear chemical goggles and face shield.
Skin	Wear impervious gloves and impervious apron.
Respiratory	If airborne exposures cannot be kept below permissible exposure limits, use a NIOSH approved respiratory protection.
Other	Provide eye wash facility and safety shower near the places where the product is used.
	Normal work clothes (long-sleeved shirt, long pants and closed shoes) are recommended.
	Contact lenses should not be worn when handling this product.

9. Physical and chemical properties

Physical state	Liquid	Evaporation rate	Not available	Relative density	1.051
Colour	Dark red	Flammability Upper	Not flammable	Solubility Partition	Soluble in water
Odour	Alcohol odor	flammability limits	Not available	coefficient - n- octanol/water	Not available
Odour threshold	Not available	Lower flammability limits	Not available	Auto-ignition temperature	Not available
рН	10-11	Upper explosive limits	Not available	Decomposition temperature	Not available
Melting point	Not available	Lower explosive limits	Not available	Viscosity	Not available
Initial boiling point and boiling range	Not available	Vapour pressure	Not available		
Flash point	Not available	Vapour density	Not available		

10. Stability and reactivity

Reactivity	No further relevant information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reactions known.
Conditions to avoid	No specific data.
Incompatible materials	No further relevant information available.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous reactions will not occur.

11. Toxicological information

Potential Health Effects

Eyes contact Skin contact Corrosion of the eyes. Can provoke damage to the eyes that leads to blindness. This product is irritating and corrosive to the skin. It causes severe burns with deep ulcerations. Irritative contact dermatitis may occur in repeated contact with this product or its solutions. Dermatitis may cause redness, itching, peeling and papules. Exposure to dust or fog can cause multiple small burns on the skin with a temporary loss of hair.

Inhalation	Inhalation immediately irritating to the respiratory tract. Swelling or spasms of the larynx leading to upper-airway obstruction and asphyxia can occur after high-dose inhalation.
	Inflammation of the lungs and an accumulation of fluid in the lungs may also occur.
Ingestion	Corrosion of the digestive tract with severe pain, dyspnea, vomiting, nausea, possible perforation of the esophagus and stomach. The effects can lead to death.
Chronic Exposure	No further information available.

Acute toxicity (per ingredient)

Ingredient	Acute toxicity
Sodium carbonate	LD 50 Oral : 2390 mg/kg, Rat
	LC 50 Inhalation : 400 mg/m3, Guinea pig
Ethylenediaminetetraacetic	LD 50 Oral : > 2000 mg/kg, Rat
acid tetrasodium salt	
anhydrous	
Alcohols (C12-15 linear	No data available
saturated) ethoxylate	
Alkyl(C12-C16)	LD 50 Oral : 426 mg/kg, Rat
dimethylbenzylammonium	
chloride	
1-Decaminium N-octyl-N,N-	No data available
dimethyl-, chloride	

12. Ecological information

Ecotoxicity	No further relevant information available.
Persistence and degradability	No further relevant information available.
Bioaccumulative potential	No further relevant information available.
Mobility in soil	No further relevant information available.

13. Disposal considerations

Disposal methods Dispose of contents/container in accordance with local / regional / national / international regulations.

14. Transport information

TDG Classification

UN Number	Shipping name	Class	Packing group
N/A	Not regulated	N/A	N/A

15. Regulatory information

WHMIS classification	Serious eye damage / Eye irritation - Category 1
	Skin corrosion / irritation - Category 1
Other applicable regulations	No further data available.

16. Other information

Date of issue	
Safety Data Sheet prepared by	

16/04/2019 Dissan Group 9900 Boulevard du Golf Anjou, Quebec H1J 3A1

Notice to reader

The information provided in this Safety Data Sheet is accurate to the best of our knowledge, and information available at the date of publication. The information is only designed as a guidance for safe handling, use, transport, storage and disposal.

Use of this product should be performed with caution as there are risks and hazards for people and goods, which are detailed but are not limited in this MSDS. To reduce the risks and dangers with this product is the responsibility of the user to comply with instructions and all instructions provided in the MSDS of this product. The manufacturer, distributors and suppliers of this product are exempt from any liability for any loss or damages of any kind whatsoever resulting from the use of this product that does not comply with the instructions provided in this MSDS or resulting from careless use of this product.